EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	472	717/106.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 07:57
L2	242	717/107.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 07:54
L3	453	717/108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 07:54
L4	375	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 07:54
L5	1855	707/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 07:54
L6	462	715/804.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 07:54
L7	0	717/106.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (list near3 (user and object)) same (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:05
L8	0	717/107.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (list near3 (user and object)) same (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:00

EAST Search History

L9	0	717/108.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (list near3 (user and object)) same (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:00
L10	0	717/109.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (list near3 (user and object)) same (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:01
L11	0	715/804.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (list near3 (user and object)) same (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:01
L12	1	707/6.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (list near3 (user and object)) same (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:01
L13	9	717/106.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:15
L14	12	717/107.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:24

EAST Search History

L15	25	717/108.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:25
L16	19	717/109.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:25
L17	6	715/804.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:25
L18	6	715/804.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:26
L19	8	707/6.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:27
L20	14	l18 or l19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:47
L21	43	l15 or l16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:47
S1	10	717/108.ccls. and metric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:50

EAST Search History

S2	21	717/106.ccls. and metric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:54
S3	13	717/107.ccls. and metric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:54
S4	11	717/109.ccls. and metric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:54
S5	22763	(relat$3 near3 object) and (list$3 or task$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 07:32
S6	763	(relat$3 near3 object) same list$3 and task$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:26
S7	806	(relat$3 near3 object) and (list$3 or task$3) and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 17:52
S8	0	object near5 "data in common"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 17:53
S9	0	object near5 "user in common"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 17:53
S10	0	"user in common"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 17:54
S11	826	object same (access$3 near3 (frequency or frequently))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 17:55

EAST Search History

S12	245	object same (access$3 near3 recent$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:08
S13	10357	object near3 (copy or copied or copying or duplicat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 17:56
S14	736	object adj template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 17:57
S15	12770	user near3 task$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:09
S16	3	user adj related near2 task	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 17:58
S17	844	user adj access$3 near3 object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 17:59
S18	214	user adj access$3 adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 17:59
S19	13	user adj referenc$3 adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:00
S20	1	user adj recently adj contact$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:00
S21	1904	contact$3 adj user and frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 07:32

EAST Search History

S22	11	contact$3 adj user near3 frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:03
S23	16430	display$3 adj (list or task)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:04
S24	6	display$3 adj (list or task) near5 metric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:05
S25	0	(hide or hidden) near3 (list or task) near5 metric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:04
S26	402	(hide or hidden) near3 (list or task)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:10
S27	45	(hide or hidden) adj (list or task)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:05
S28	2	display$3 adj status near5 metric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:05
S29	126	display$3 adj status near5 (list or task)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:05
S30	73	display$3 adj status near5 related	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:06
S31	5874	generat$3 adj list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:07

EAST Search History

S32	466	((relat$3 near3 object) and (list$3 or task$3)) and (generat$3 adj list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:07
S33	58	((relat$3 near3 object) same list$3 and task$3) and (generat$3 adj list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:07
S34	22	((relat$3 near3 object) and (list$3 or task$3) and 717/???.ccls.) and (generat$3 adj list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:08
S35	3	((relat$3 near3 object) same list$3 and task$3 and 717/???.ccls.) and (generat$3 adj list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:08
S36	16	(object same (access$3 near3 (frequency or frequently))) and (generat$3 adj list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:08
S37	9	(object same (access$3 near3 recent$2)) and (generat$3 adj list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:08
S38	200	(object near3 (copy or copied or copying or duplicat$3)) and (generat$3 adj list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:09
S39	13	(object adj template) and (generat$3 adj list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:09
S40	333	(user near3 task$3) and (generat$3 adj list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:09
S41	33	(user adj access$3 near3 object) and (generat$3 adj list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:09

EAST Search History

S42	12	(user adj access$3 adj object) and (generat$3 adj list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:10
S43	48	(contact$3 adj user and frequency) and (generat$3 adj list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:10
S44	879	(display$3 adj (list or task)) and (generat$3 adj list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:10
S45	17	((hide or hidden) near3 (list or task)) and (generat$3 adj list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:11
S46	6	(display$3 adj status near5 (list or task)) and (generat$3 adj list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:11
S47	3	"data in common"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:11
S48	51	(relat$3 near3 object) same list$3 and task$3 and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:12
S49	2217	metric.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:13
S50	7	metric.ti. and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:23
S51	15	"5960196".URPN.	USPAT	OR	OFF	2004/06/16 18:14

EAST Search History

S52	2963	object same (meta-data or metadata or (meta adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:24
S53	2931	object same (meta-data or metadata or (meta adj data)) and (user or data or frequency of access$3 or copy$3 or template or contact$3 or display$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 18:26
S54	104	(generat$3 adj list) and (object same (meta-data or metadata or (meta adj data)) and (user or data or frequency of access$3 or copy$3 or template or contact$3 or display$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/24 08:11
S55	1119	(application or program or software or object) adj (develop$4) same (metadata or meta-data or (meta adj data) or metric or measurement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:47
S56	570	(application or program or software or object) adj (develop$4) same (metadata or meta-data or (meta adj data) or metric or measurement) and ((generat$3 adj list$3) or access$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:48
S57	14	(application or program or software or object) adj (develop$4) same (metadata or meta-data or (meta adj data) or metric or measurement) and ((generat$3 adj list$3) and access$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:49
S58	312	(application or program or software or object) adj (develop$4) same (metadata or meta-data or (meta adj data) or metric or measurement) and (object or component or code) near3 (relat$3 or relationship or bound or binding or resolv$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:50
S59	10	717/108.ccls. and metric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:50
S60	21	717/106.ccls. and metric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:54

EAST Search History

S61	13	717/107.ccls. and metric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:54
S62	11	717/109.ccls. and metric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:54
S63	37	((717/106.ccls. and metric) or (717/107.ccls. and metric) or (717/109.ccls. and metric)) not (717/108.ccls. and metric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 10:49
S64	11	"5446895".URPN.	USPAT	OR	OFF	2004/06/17 10:07
S65	15	"5960196".URPN.	USPAT	OR	OFF	2004/06/17 10:12
S66	0	"6662357".URPN.	USPAT	OR	OFF	2004/06/17 10:16
S67	4	"5903453".URPN.	USPAT	OR	OFF	2004/06/17 10:21
S68	0	"6715130".URPN.	USPAT	OR	OFF	2004/06/17 10:21
S69	27	("5072379" | "5446895" | "5524077" | "5526516" | "5655074" | "5680557" | "5729746" | "5778397" | "5799304" | "5832532" | "5835087" | "5864480" | "5880959" | "5892951" | "5903453" | "5911134" | "5918207" | "5960407" | "6008817" | "6044354" | "6070143" | "6115691" | "6131091" | "6134563" | "6212494" | "6289255" | "6349316"). PN.	USPAT	OR	OFF	2004/06/17 10:22
S70	7	"6115691".URPN.	USPAT	OR	OFF	2004/06/17 10:30
S71	2	"6411922".URPN.	USPAT	OR	OFF	2004/06/17 10:32
S72	4	"5848394".URPN.	USPAT	OR	OFF	2004/06/17 10:42
S73	5	("5233513" | "5303170" | "5381332" | "5414843" | "5446895").PN.	USPAT	OR	OFF	2004/06/17 10:43
S74	11	"5446895".URPN.	USPAT	OR	OFF	2004/06/17 10:44
S75	157078	(component or module) near3 (use or frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 16:19
S76	170964	(component or module) near3 (use or frequency) amd (program adj development)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 16:22

EAST Search History

S77	168320	(component or module) near3 (use or frequency) amd (program adj development) and (measure$4 or metric or metadata or meta-data or (meta adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 16:21
S78	13969	(component or module) near3 (use or frequency) same (person or worker or developer or programmer) amd (program adj development) and (measure$4 or metric or metadata or meta-data or (meta adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 16:22
S79	8	(component or module) near3 (use or frequency) same (person or worker or developer or programmer) and (program adj development) and (measure$4 or metric or metadata or meta-data or (meta adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 16:22
S80	162	(component or module) near3 (use or frequency) and (program adj development)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 16:22
S81	15	(component or module or object) near3 (use or frequency) same (person or worker or developer or programmer) and (program adj development) and (measure$4 or metric or metadata or meta-data or (meta adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 16:25
S82	20	(component or module or object or class) near3 (use or frequency or statistic) same (person or worker or developer or programmer) and (program adj development) and (statistic or measure$4 or metric or metadata or meta-data or (meta adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 16:58
S83	4799	program near5 estimat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 16:58
S84	5537	human adj factor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 16:58

EAST Search History

S85	197	programmer adj productivity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 16:59
S86	18	(program near5 estimat$3) and (human adj factor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 16:59
S87	2	(program near5 estimat$3) and (programmer adj productivity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 07:30
S88	6	("5729746" | "5930798" | "5960196" | "6073107" | "6199193" | "6513154"). PN.	USPAT	OR	OFF	2004/06/22 17:03
S89	60	("4558413" | "4696003" | "4809170" | "4819233" | "4942527" | "5016170" | "5172313" | "5175856" | "5193180" | "5212794" | "5231577" | "5301270" | "5303146" | "5313616" | "5359710" | "5386547" | "5410648" | "5450586" | "5452440" | "5483468" | "5490097" | "5513305" | "5535329" | "5572671" | "5574828" | "5634022" | "5649200" | "5664191" | "5675801" | "5675802" | "5689712" | "5694539" | "5701139" | "5729676" | "5729744" | "5732212" | "5732273" | "5734908" | "5790778" | "5790858" | "5806078" | "5857071" | "5860007" | "5860011" | "5940617" | "5960196" | "5968113" | "5974391" | "5974572" | "5987249" | "6003143" | "6016474" | "6026362" | "6038538" | "6038543" | "6042614" | "6061518" | "6074434" | "6085029" | "6092050"). PN.	USPAT	OR	OFF	2004/06/22 17:03
S90	15	"5960196".URPN.	USPAT	OR	OFF	2004/06/22 17:07
S91	17	("4558413" | "4751635" | "4809170" | "4864569" | "4912637" | "4951192" | "5155847" | "5157779" | "5291598" | "5339435" | "5446895" | "5490249" | "5530964" | "5649200" | "5651111" | "5655074" | "5729746").PN.	USPAT	OR	OFF	2004/06/22 17:11
S92	28	"5490097".URPN.	USPAT	OR	OFF	2004/06/22 17:17

EAST Search History

S93	1797	(software or code or segment or object) near5 (frequency near3 access$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 07:31
S94	2036	(software or code or segment or object) near5 ((frequency or measure$4 or metric) near3 access$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 08:31
S95	22865	(relat$3 near3 object) and (list$3 or task$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 07:32
S96	768	(relat$3 near3 object) same list$3 and task$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 07:32
S97	1911	contact$3 adj user and frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 07:33
S98	1911	contact$3 adj user and frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 07:33
S99	88	((software or code or segment or object) near5 ((frequency or measure$4 or metric) near3 access$3)) and ((relat$3 near3 object) and (list$3 or task$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 07:34
S100	22	(software or code or segment or object) near5 ((frequency or measure$4 or metric) near3 access$3) and (access near3 object near5 locality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 07:37

EAST Search History

S10 1	61	("4837680" | "4914656" | "5257362" | "5258984" | "5301297" | "5355453" | "5375128" | "5388231" | "5398253" | "5416915" | "5442752" | "5459853" | "5485579" | "5488701" | "5490248" | "5497457" | "5513314" | "5517632" | "5522032" | "5537534" | "5542065" | "5566331" | "5574882" | "5586291" | "5617425" | "5650969" | "5657468" | "5701516" | "5754756" | "5799140" | "5802366" | "5819292" | "5845319" | "5862312" | "5862313" | "5864655" | "5875459" | "5901280" | "5905998" | "5907672" | "5931947" | "5941969" | "5948110" | "5950225" | "5963962" | "5974503" | "5975738" | "5996089" | "6000020" | "6029168" | "6038570" | "6055228" | "6065037" | "6065096" | "6081883" | "6119244" | "6148414" | "6219693" | "6219751" | "6279138" | "6324581" | "2001/0002480" | "2003/0061402").PN.	USPAT	OR	OFF	2004/06/23 07:40
S10 2	52	("4837680" | "4914656" | "5257362" | "5258984" | "5301297" | "5355453" | "5375128" | "5388231" | "5398253" | "5416915" | "5442752" | "5459853" | "5485579" | "5488701" | "5490248" | "5497457" | "5513314" | "5517632" | "5522032" | "5537534" | "5542065" | "5566331" | "5574882" | "5586291" | "5617425" | "5650969" | "5657468" | "5701516" | "5754756" | "5799140" | "5802366" | "5819292" | "5845319" | "5862312" | "5862313" | "5864655" | "5875459" | "5901280" | "5905998" | "5907672" | "5931947" | "5941969" | "5948110" | "5950225" | "5963962" | "5974503" | "5975738" | "5996089" | "6000020" | "6029168" | "6038570" | "6055228" | "6065037" | "6065096" | "6081883" | "6119244" | "6148414" | "6219693" | "6219751" | "6279138" | "6324581" | "2001/0002480" | "2003/0061402").PN. and (related or relationship) and (frequency or metric or referenc$3 or contect$3 or list or task or copy or copies or template or status or (in adj common))	USPAT	OR	ON	2004/06/23 07:43
S10 3	6	(software or code or segment or object) near5 ((frequency or measure$4 or metric) near3 access$3) and (referenc$3 adj count)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 08:06

EAST Search History

S104	9	"5142670".URPN.	USPAT	OR	OFF	2004/06/23 08:08
S105	19	"5345584".URPN.	USPAT	OR	OFF	2004/06/23 08:13
S106	16	("Re31407" | "3893084" | "4092732" | "4101969" | "4110830" | "4195340" | "4276595" | "4509118" | "4623988" | "4631699" | "4641207" | "4641239" | "4700294" | "4703422" | "4796220" | "4805090").PN.	USPAT	OR	OFF	2004/06/23 08:16
S107	42	"3893084".URPN.	USPAT	OR	OFF	2004/06/23 08:20
S108	1024	(software or code or segment or object) near5 ((frequency or measure$4 or metric) near3 access$3) and (notification or notify or message or messaging or e-mail or alert$3 or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 08:32
S109	97	(software or code or segment or object) near5 ((frequency or measure$4 or metric) near3 access$3) same (notification or notify or message or messaging or e-mail or alert$3 or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 08:57
S110	34	"6070190".URPN.	USPAT	OR	OFF	2004/06/23 08:37
S111	7	"6141699".URPN.	USPAT	OR	OFF	2004/06/23 08:54
S112	144	(compos$3 or generat$3) near2 list and ((relat$3 or relationship) near3 (task$3 or job)) same select$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 09:00
S113	1	(compos$3 or generat$3) near2 list and ((relat$3 or relationship) near3 (task$3 or job)) same select$3 and ((software or code or segment or object) near5 ((frequency or measure$4 or metric) near3 access$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 09:01
S114	95	(compos$3 or generat$3) near2 list and ((relat$3 or relationship) near3 (task$3 or job)) same select$3 and (user near3 access$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 10:46

EAST Search History

S115	2	"6507845".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 10:46
S116	4	"6507845".URPN.	USPAT	OR	OFF	2004/06/23 10:50
S117	3	"6507845".URPN. and (version$3 or template or cop$3)	USPAT	OR	OFF	2004/06/23 10:50
S118	41	("5008853" | "5157783" | "5159669" | "5220657" | "5333256" | "5408662" | "5557722" | "5587935" | "5608426" | "5613134" | "5615336" | "5623655" | "5671428" | "5708806" | "5715461" | "5745687" | "5781732" | "5799320" | "5806079" | "5813006" | "5835713" | "5838323" | "5845301" | "5848271" | "5848409" | "5862346" | "5867164" | "5872569" | "5872924" | "5884035" | "5890177" | "5893074" | "5893128" | "5897635" | "5923848" | "5950214" | "5960173" | "5978836" | "5999911" | "6088702" | "6101481").PN.	USPAT	OR	OFF	2004/06/23 10:52
S119	37	("5008853" | "5157783" | "5159669" | "5220657" | "5333256" | "5408662" | "5557722" | "5587935" | "5608426" | "5613134" | "5615336" | "5623655" | "5671428" | "5708806" | "5715461" | "5745687" | "5781732" | "5799320" | "5806079" | "5813006" | "5835713" | "5838323" | "5845301" | "5848271" | "5848409" | "5862346" | "5867164" | "5872569" | "5872924" | "5884035" | "5890177" | "5893074" | "5893128" | "5897635" | "5923848" | "5950214" | "5960173" | "5978836" | "5999911" | "6088702" | "6101481").PN. and (template or version$3 or cop$3 or replicat$3)	USPAT	OR	OFF	2004/06/23 11:00
S120	6832193	object is a copy of an object	USPAT	OR	OFF	2004/06/23 11:00
S121	2382600	object produced from template	USPAT	OR	OFF	2004/06/23 11:01
S122	4	(task or object or document) near3 collaboration same version$3	USPAT	OR	OFF	2004/06/23 11:04
S123	23	collaboration near5 version$3	USPAT	OR	OFF	2004/06/23 11:05
S124	11	collaboration near5 version$3 and (template or copy or copy$3)	USPAT	OR	OFF	2004/06/23 13:35

EAST Search History

S125	8	collaboration same (document near3 (control or copy or template or framework)) and version$3	USPAT	OR	OFF	2004/06/23 13:46
S126	7	("5008853" | "5870552" | "5970505" | "6023715" | "6061697" | "6065026" | "6067551").PN.	USPAT	OR	OFF	2004/06/23 13:39
S127	1	"6212534".URPN.	USPAT	OR	OFF	2004/06/23 13:42
S128	15	collaboration same (object near3 (control or copy or template or framework)) and version$3	USPAT	OR	OFF	2004/06/23 13:53
S129	0	(determin$3 near2 object near2 (copy or copied)) and (determin$3 near2 object near2 (template))	USPAT	OR	ON	2004/06/23 13:54
S130	30	determin$3 near2 object near2 (template)	USPAT	OR	ON	2004/06/23 13:54
S131	65	determin$3 near2 object near2 (copy or copied)	USPAT	OR	ON	2004/06/23 14:06
S132	7	"5721919".URPN.	USPAT	OR	OFF	2004/06/23 13:59
S133	53	determin$3 near2 local near2 copy	USPAT	OR	ON	2004/06/23 14:07
S134	0	determin$3 near2 local near2 copy same collaborat$5	USPAT	OR	ON	2004/06/23 14:08
S135	2	determin$3 near2 local near2 copy and collaborat$5	USPAT	OR	ON	2004/06/23 14:08
S136	28	determin$3 near2 local near2 copy and version$3	USPAT	OR	ON	2004/06/23 14:11
S137	0	version$3 adj control$3 same (determin$3 near3 (object near3 copy))	USPAT	OR	ON	2004/06/23 14:33
S138	5020	determin$3near2 object near2 (copy or copied or copying or replicat$3)	USPAT	OR	ON	2004/06/23 14:36
S139	1218	determin$3near2 object near2 (template)	USPAT	OR	ON	2004/06/23 14:36
S140	30	determin$3 near2 object near2 (template)	USPAT	OR	ON	2004/06/23 14:44
S141	0	(determin$3 near2 object near2 (copy or copied or copying or replicat$3)) and (determin$3 near2 object near2 (template))	USPAT	OR	ON	2004/06/23 14:37
S142	2	determin$3 near2 object near2 (copy or copied or copying or replicat$3) and collaborat$5	USPAT	OR	ON	2004/06/23 14:42
S143	0	determin$3 near2 object near2 (template) and collaborat$7	USPAT	OR	ON	2004/06/23 14:41

EAST Search History

S144	2	determin$3 near2 object near2 (copy or copied or copying or replicat$3) and collaborat$7	USPAT	OR	ON	2004/06/23 14:42
S145	82	determin$3 near2 object near2 (copy or copied or copying or replicat$3)	USPAT	OR	ON	2004/06/23 14:45
S146	335	version$3 same (copy or copied or copying or template or replicat$5) near3 object	USPAT	OR	ON	2004/06/23 14:46
S147	45	version$3 same (copy or copied or copying or template or replicat$5) near3 object and collaborat$7 and determin$3	USPAT	OR	ON	2004/06/23 16:06
S148	126	711/166.ccls.	USPAT	OR	ON	2004/06/23 16:06
S149	0	711/166.ccls. and collaborat$7	USPAT	OR	ON	2004/06/23 16:06
S150	24	711/166.ccls. and version$3	USPAT	OR	ON	2004/06/23 16:06
S151	180	715/511.ccls.	USPAT	OR	ON	2004/06/23 16:06
S152	23	715/511.ccls. and collaborat$7	USPAT	OR	ON	2004/06/23 16:07
S153	42	715/511.ccls. and shared	USPAT	OR	ON	2004/06/23 16:35
S154	6	("5446895" "5848394" "6507845" "6519763" "6643661" "6678882").pn.	USPAT	OR	ON	2004/06/23 16:36
S155	4	("6507845" "6678882").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 07:54
S156	52	(develop$4 or ide or collaborat$3 or compos$5) near3 (frequency near3 (access$3 or search$3 or retriev$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 07:57
S157	49	(develop$4 or ide or collaborat$3 or compos$5) near3 (frequency near3 (access$3 or search$3 or retriev$3)) and (object or component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 08:03
S158	188	document near3 (frequency near3 (access$3 or search$3 or retriev$3)) and (object or component) not S157	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 08:03

EAST Search History

S159	1	document near3 (frequency near3 (access$3 or search$3 or retriev$3)) and (object or component) not S157 and 717/1??.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 08:05
S160	63	(frequency near3 (access$3 or search$3 or retriev$3)) and (object or component) not S157 and 717/1??. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 08:17
S161	0	"degree of relatedness" and (object or component) not S157 and 717/1??. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 08:17
S162	0	"degree of relatedness"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 08:17
S163	0	"degree of relat$6"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 08:18
S164	67424	"degree" near3 relat$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 08:18
S165	2448	"degree" near3 relatedness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 08:18
S166	2437	"degree" near2 relatedness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 08:18
S167	0	"degree" near2 relatedness and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 08:19
S168	34	"degree" near2 relatedness and 7??/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 08:19

EAST Search History

S169	4	("6678882" "6507845").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 07:55
S170	216710	(data or content or document or object) near3 (related$4 or associat$3 or locality or similar$3 or same$4 or relation$4) same (stor$3 or scheme or relationship or arrangement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 08:07
S171	77859	(data or content or document or object) near3 ((related$4 or associat$3 or locality or similar$3 or same$4 or relation$4) and (access$3 or retriev$3 or format$4)) same (stor$3 or scheme or relationship or arrangement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 08:08
S172	213	(generat$3 adj list) and (object same (meta-data or metadata or (meta adj data) or metric) and (user or data or frequency of access$3 or copy$3 or template or contact$3 or display$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/24 08:11
S173	140	S171 and S172	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/24 08:11
S174	12	("6826569" "5790865" "5832494" "5991799" "6426761" "6795826").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/24 08:13
S175	4	("6507845" "6678882").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 17:14
S176	3	("5864874" "5819084").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 11:31
S177	5	(general and awareness).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 11:32

EAST Search History

S178	10	"general awareness" and simple and protocol and interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 11:41
S179	814	awareness and collaborative	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 11:41
S180	2	awareness and collaborative and "joint attention"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 11:42
S181	38	collaborat$5 and quilt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 11:48
S182	2	"6507845".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 11:48
S183	47	("5008853" | "5157783" | "5159669" | "5220657" | "5333256" | "5408662" | "5557722" | "5587935" | "5608426" | "5613134" | "5615336" | "5623655" | "5671428" | "5708806" | "5715461" | "5745687" | "5781732" | "5799320" | "5806079" | "5813006" | "5835713" | "5838323" | "5845301" | "5848271" | "5848409" | "5862346" | "5867164" | "5872569" | "5872924" | "5884035" | "5890177" | "5893074" | "5893128" | "5897635" | "5923848" | "5950214" | "5960173" | "5978836" | "5999911" | "6088702" | "6101481").PN. OR ("6507845").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 14:24
S184	1	"5960173".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 14:25
S185	32	("4974173" | "5008853" | "5233687" | "5337407" | "5347306" | "5363507" | "5446842" | "5627978" | "5634129" | "5649105" | "5819084").PN. OR ("5960173").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/06 16:18

EAST Search History

S186	108527	(gui or "user interface" or display$3) same (multiple or plurality or three or four or split) near3 (windows or panes or container or screen or display or presentation)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/06 16:22
S187	1	"5832494".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/06 16:21
S188	3563	(gui or "user interface" or display$3) same (multiple or plurality or three or four or split) near3 (windows or panes or container or screen or display or presentation) and (nested or til$3 or cascad$3) near3 (windows or panes or container or screen or display or presentation)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/06 16:24
S189	2297	(gui or "user interface" or display$3) same (multiple or plurality or three or four or split) near2 (windows or panes or container or screen or display or presentation) and (nested or til$3 or cascad$3) near2 (windows or panes or container or screen or display or presentation)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/06 16:25
S190	1032	(relat$3 near3 object) same list$3 and task$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:45
S191	993	(relat$3 near3 object) same list$3 and task$3 and (user or person$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:27
S192	27	S189 and S191	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:27
S193	261	((metric or metadata or "meta-data" or relationship or related$4 or frequency or association) near3 object) same (list$3 near2 object) and (list$3 near2 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 16:48
S194	11	((metric or metadata or "meta-data" or relationship or related$4 or frequency or association) near3 object) same (list$3 near2 object) and (list$3 near2 user) and (screen or window or display) near3 (split or tile$1 or tiling or partition$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 09:00

EAST Search History

S195	2	"5222221".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:24
S196	0	"6795826".pn. and heuristic$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:25
S197	1	"6795826".pn. and statistic$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:25
S198	2	"6795829".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/08 07:27
S199	16	("5323393" | "5537626" | "5659795" | "5715477" | "5784622" | "5828863" | "5828864" | "5832298" | "5862404" | "5903733" | "5975737" | "6138249" | "6219719" | "6266693" | "6463430" | "6532491").PN. OR ("6795829").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 09:15
S200	42	(gui or "user interface" or display or ((visual or graphical or display) adj interface)) same users same objects same (relation$4 or relevan$4 or associat$3 or interrelation$4) and ((icon or picture) same link$3 same type)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 09:28
S201	351	(gui or "user interface" or display or ((visual or graphical or display) adj interface)) same "project management"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 09:28
S202	104	(gui or "user interface" or display or ((visual or graphical or display) adj interface)) same "project management" and (users or resource or personnel or staff$3) same objects same (relation$4 or relevan$4 or associat$3 or interrelation$4) and ((icon or picture))	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/08 09:30

EAST Search History

S203	2	(gui or "user interface" or display or ((visual or graphical or display) adj interface)) same "project management" and (users or resource or personnel or staff$3) same objects same (relation$4 or relevan$4 or associat$3 or interrelation$4) and ((icon or picture)) and "history list"	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/08 09:31
S204	0	(gui or "user interface" or display or ((visual or graphical or display) adj interface)) same "project management" same collabor$5 same (users or resource or personnel or staff$3 or developers or engineers) same objects same (relation$4 or relevan$4 or associat$3 or interrelation$4) and ((icon or picture)) and "history list"	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/08 09:32
S205	0	(gui or "user interface" or display or ((visual or graphical or display) adj interface)) same "project management" same collabor$5 same (users or resource or personnel or staff$3 or developers or engineers) same objects same (relation$4 or relevan$4 or associat$3 or interrelation$4) and ((icon or picture))	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/08 09:32
S206	11	(gui or "user interface" or display or ((visual or graphical or display) adj interface)) same "project management" same collabor$5 and objects same (relation$4 or relevan$4 or associat$3 or interrelation$4) and ((icon or picture))	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/08 09:35
S207	35	(gui or "user interface" or display or ((visual or graphical or display) adj interface)) near5 "project management" and collabor$5 and objects same (relation$4 or relevan$4 or associat$3 or interrelation$4) and ((icon or picture))	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/08 09:39
S208	34	S207 not S206	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/08 09:36

EAST Search History

S209	67	(gui or "user interface" or display or web or page or ((visual or graphical or display) adj interface)) near5 ((program or project) adj management) and collabor$5 and objects same (relation$4 or relevan$4 or associat$3 or interrelation$4) and ((icon or picture))	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/08 09:53
S210	33	S209 not S208	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/08 09:40
S211	161	(gui or "user interface" or display or web or page or ((visual or graphical or display) adj interface)) near5 ((program or project or document) adj management) and objects same (relation$4 or relevan$4 or associat$3 or interrelation$4) and ((icon or picture)) and (link$3 or portal or collaborat$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/08 12:39
S212	114	715/75?.ccls. and (conferenc$3 or ((program or project) adj management)) and (users or resource or personnel or staff$3) same objects same (relation$4 or relevan$4 or associat$3 or interrelation$4) and (icon or picture or design or representation)	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/08 12:42
S213	11	("6349327").URPN.	USPAT	OR	OFF	2006/05/08 14:38
S214	37	("6014135").URPN.	USPAT	OR	OFF	2006/05/09 08:42
S215	1392	707/6.ccls.	USPAT	OR	OFF	2006/05/09 08:44
S216	2	707/6.ccls. and ((metric or metadata or "meta-data" or relationship or related$4 or frequency or association) near3 object) same (list$3 near2 object) and (list$3 near2 user)	USPAT	OR	OFF	2006/05/09 08:46
S217	244	715/751.ccls.	USPAT	OR	OFF	2006/05/09 08:44
S218	60	715/752.ccls.	USPAT	OR	OFF	2006/05/09 08:44
S219	213	715/753.ccls.	USPAT	OR	OFF	2006/05/09 08:44
S220	14	715/754.ccls.	USPAT	OR	OFF	2006/05/09 08:45
S221	17	715/755.ccls.	USPAT	OR	OFF	2006/05/09 08:45

EAST Search History

S222	26	715/756.ccls.	USPAT	OR	OFF	2006/05/09 08:45
S223	62	715/757.ccls.	USPAT	OR	OFF	2006/05/09 08:45
S224	59	715/758.ccls.	USPAT	OR	OFF	2006/05/09 08:45
S225	112	715/759.ccls.	USPAT	OR	OFF	2006/05/09 08:45
S226	391	715/804.ccls.	USPAT	OR	OFF	2006/05/09 08:45
S227	587	715/810.ccls.	USPAT	OR	OFF	2006/05/09 08:46
S228	597	715/835.ccls.	USPAT	OR	OFF	2006/05/09 08:46
S229	0	715/753.ccls. and ((metric or metadata or "meta-data" or relationship or related$4 or frequency or association) near3 object) same (list$3 near2 object) and (list$3 near2 user)	USPAT	OR	OFF	2006/05/09 08:46
S230	2	715/804.ccls. and ((metric or metadata or "meta-data" or relationship or related$4 or frequency or association) near3 object) same (list$3 near2 object) and (list$3 near2 user)	USPAT	OR	OFF	2006/05/09 08:47
S231	4	715/810.ccls. and ((metric or metadata or "meta-data" or relationship or related$4 or frequency or association) near3 object) same (list$3 near2 object) and (list$3 near2 user)	USPAT	OR	OFF	2006/05/09 08:47
S232	2	"6795826".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 15:49
S233	19	("5099426" | "5206951" | "5600835" | "5706497" | "5809506" | "5812691" | "5815710" | "5875446" | "5893085" | "5899992" | "5903478" | "5907846" | "5963965" | "5974415" | "6016394" | "6049799" | "6134559" | "6285999" | "6468210").PN. OR ("6795826").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/14 15:49

EAST Search History

S234	4	(("5099426" | "5206951" | "5600835" | "5706497" | "5809506" | "5812691" | "5815710" | "5875446" | "5893085" | "5899992" | "5903478" | "5907846" | "5963965" | "5974415" | "6016394" | "6049799" | "6134559" | "6285999" | "6468210").PN. OR ("6795826").URPN.) and (icon or shortcut)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/14 17:13
S235	18	(("5099426" | "5206951" | "5600835" | "5706497" | "5809506" | "5812691" | "5815710" | "5875446" | "5893085" | "5899992" | "5903478" | "5907846" | "5963965" | "5974415" | "6016394" | "6049799" | "6134559" | "6285999" | "6468210").PN. OR ("6795826"). URPN.) and (execut$3 or interactiv$3 or input$4 or output$4 or "real time" or realtime)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/14 17:27
S236	38291	(visual$2 or graphical$2 or icon$6 or mvc or ide or "development environment" or gui or ui) near5 (execut$3 or runtime or link$3 or wir$3 or interact$7) and (relation$5 or related$4 or similar$3 or associat$3 or history or access$3 or referenc$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/14 17:32
S237	17878	(visual$2 or graphical$2 or icon$6 or mvc or ide or "development environment" or gui or ui) near5 (execut$3 or runtime or link$3 or wir$3 or interact$7) same (relation$5 or related$4 or similar$3 or associat$3 or history or access$3 or referenc$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/14 17:32
S238	823	(visual$2 or graphical$2 or icon$6 or mvc or ide or "development environment" or gui or ui) near5 (execut$3 or runtime or link$3 or wir$3 or interact$7) same object near3 (relation$5 or related$4 or similar$3 or associat$3 or history or access$3 or referenc$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/14 17:36
S239	776	(visual$2 or graphical$2 or icon$6 or mvc or ide or "development environment" or gui or ui) near5 (execut$3 or runtime or link$3 or wir$3 or interact$7) same object near3 (relation$5 or related$4 or similar$3 or associat$3 or history or access$3 or referenc$3) and (collabor$5 or neighborhood or container or panel or display or window)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/15 07:30

EAST Search History

S240	592	(visual$2 or graphical$2 or icon$6 or mvc or ide or "development environment" or gui or ui) near5 (execut$3 or runtime or link$3 or wir$3 or interact$7) same object near3 (relation$5 or related$4 or similar$3 or associat$3 or history or access$3 or referenc$3) and (visual$2 or graphical$2 or icon$6 or mvc or ide or "development environment" or gui or ui) near3 (collabor$5 or neighborhood or container or panel or display or window)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/14 17:41
S241	0	(visual$2 or graphical$2 or icon$6 or mvc or ide or "development environment" or gui or ui) near5 (execut$3 or runtime or link$3 or wir$3 or interact$7) same object near3 ((extent or degree or frequen$3) near3 (relation$5 or related$4 or similar$3 or associat$3 or history or access$3 or referenc$3))and (visual$2 or graphical$2 or icon$6 or mvc or ide or "development environment" or gui or ui) near3 (collabor$5 or neighborhood or container or panel or display or window)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/14 17:45
S242	11	(visual$2 or graphical$2 or icon$6 or mvc or ide or "development environment" or gui or ui) near5 (execut$3 or runtime or link$3 or wir$3 or interact$7) same object same ((extent or degree or frequen$3) near3 (relation$5 or related$4 or similar$3 or associat$3 or history or access$3 or referenc$3))and (visual$2 or graphical$2 or icon$6 or mvc or ide or "development environment" or gui or ui) near3 (collabor$5 or neighborhood or container or panel or display or window)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/14 17:46

EAST Search History

S243	4	(visual$2 or graphical$2 or icon$6 or mvc or ide or "development environment" or gui or ui) near5 (execut$3 or runtime or link$3 or wir$3 or interact$7) same object near3 (relation$5 or related$4 or similar$3 or associat$3 or history or access$3 or referenc$3) and (collabor$5 or neighborhood or container or panel or display or window) and "most recently used"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/15 07:30
S244	4	(visual$2 or graphical$2 or icon$6 or mvc or ide or "development environment" or gui or ui) near5 (execut$3 or runtime or link$3 or wir$3 or interact$7) same object near3 (relation$5 or related$4 or similar$3 or associat$3 or history or access$3 or referenc$3) and (collabor$5 or neighborhood or container or panel or display or window) and ("most recently used" or mru)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/15 08:07

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	472	717/106.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 07:57
L2	242	717/107.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 07:54
L3	453	717/108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 07:54
L4	375	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 07:54
L5	1855	707/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 07:54
L6	462	715/804.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 07:54
L7	0	717/106.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (list near3 (user and object)) same (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:05
L8	0	717/107.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (list near3 (user and object)) same (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:00

EAST Search History

L9	0	717/108.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (list near3 (user and object)) same (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:00
L10	0	717/109.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (list near3 (user and object)) same (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:01
L11	0	715/804.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (list near3 (user and object)) same (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:01
L12	1	707/6.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (list near3 (user and object)) same (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:01
L13	9	717/106.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:15
L14	12	717/107.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:24

EAST Search History

L15	25	717/108.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:25
L16	19	717/109.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:25
L17	6	715/804.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:25
L18	6	715/804.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:26
L19	8	707/6.ccls. and (gui or ui or "display interface" or "graphical display" or "interface portal") and (object near3 (execut$3 or run$4)) same (result or output) and (interrelationship or relationship or related$4 or associat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:27
L20	14	l18 or l19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 08:47
L21	43	l15 or l16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 09:13
L22	12	("5793365" "6349327" "6934737" "5963950" "6173283" "6731308").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/21 09:14

IEEE Xplore RELEASE 2.1

Welcome United States Patent and Trademark Office

Search Results **BROWSE SEARCH IEEE GUID**

Results for "(((window<in>metadata) <or> (related* proximat* associat*<in>metadata))<a..."
Your search matched **0** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevanc Descending** order.

» Search Options

View Session History
New Search

Modify Search

(((window<in>metadata) <or> (related* proximat*

☐ Check to search only within this results set

Display Format: ◉ Citation ○ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer assistance revising your search.

Indexed by Inspec

IEEE Xplore RELEASE 2.1

Welcome United States Patent and Trademark Office

Search Results BROWSE SEARCH IEEE GUID

Results for "(((mcv<in>metadata),<or> (related* proximat* associat*<in>metadata))<and&..."
Your search matched 0 documents.
A maximum of 100 results are displayed, 25 to a page, sorted by Relevanc Descending order.

» Search Options

View Session Historv
New Search

Modifv Search

(((mcv<in>metadata) <or> (related* proximat* ass

☐ Check to search only within this results set

Display Format: ◉ Citation ○ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer assistance revising vour search.

Indexed by Inspec

IEEE Xplore® RELEASE 2.1

Welcome United States Patent and Trademark Office

Search Results **BROWSE SEARCH IEEE GUID**

Results for "(((gui<in>metadata) <or> (related* proximat* associat*<in>metadata))<and&..."
Your search matched **0** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevanc Descending** order.

» Search Options

View Session History
New Search

Modify Search

(((gui<in>metadata) <or> (related* proximat* asso

☐ Check to search only within this results set

Display Format: ◉ Citation ○ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer assistance revising your search.

» Key

- **IEEE JNL** IEEE Journal or Magazine
- **IEE JNL** IEE Journal or Magazine
- **IEEE CNF** IEEE Conference Proceeding
- **IEE CNF** IEE Conference Proceeding
- **IEEE STD** IEEE Standard

Indexed by Inspec®

Sign in

Google Web Images Video New! News Maps more »

mcv + object + user + relatedness Search Ac Pr

Web Results **1** - **10** of about **54** for **mcv** + **object** + **user** + **relatedness**. (**0.59**

[PDF] 04-05 Catalog online.qxp
File Format: PDF/Adobe Acrobat - View as HTML
CIS 150 **Object** Oriented Programming with Java (4) This course is an introduction to **...** focus on supporting **users** of tools available on microcomputers and **...**
www.nwcc.edu/registrar/catalog/03-04_8_ugdesc.pdf - Supplemental Result - Similar pages

[PDF] 86 NDERGRADUATE OURSE ESCRIPTIONS ACCOUNTING ANTHROPOLOGY
File Format: PDF/Adobe Acrobat - View as HTML
CIS 150 **Object** Oriented Programming with Java (4) This course is an **...** **MCV** 100 Class Voice (1) A voice class for beginners that covers the basics of good **...**
www.nwcc.edu/registrar/catalog_undergrad/courses.pdf - Similar pages

Laboratory Primate Newsletter Volume 32 Number 1
The **user** must hold or carry the tool during or just before use, and establish the proper and effective orientation between the **object** and the incentive. **...**
www.brown.edu/Research/Primate/lpn32-1.html - 132k - Cached - Similar pages

Laboratory Primate Newsletter, Volume 36, Number 1
Their values for **MCV** and RBC resemble those which we found in our Chinese **...** and lineage and to estimate genetic **relatedness** within/among colonies. **...**
www.brown.edu/Research/Primate/lpn36-1.html - 185k - Cached - Similar pages

Abstracts

Address : Box 980126 **MCV** Richmond VA 23298-0126 USA ... Kin recognition in Drosophila paulistorum: **relatedness** vs familiarity2. 1Department of Genetics, ...
www.bga.org/meetings/2004/abstracts.htm - 705k - Cached - Similar pages

[PDF] CHAPTER 4 Elbow Musculoskeletal Disorders (Epicondylitis ...
File Format: PDF/Adobe Acrobat
between low **MCV** and. subjective or objective signs. ... equivocal, to evaluate the strength of work-**relatedness** using causal inference. ...
www.cdc.gov/niosh/pdfs/97-141b.pdf - Similar pages

[PDF] Mental - Health Book - English
File Format: PDF/Adobe Acrobat - View as HTML
of incidence is proportionately lesser as the degree of **relatedness** is farther ... Alcohol dependent individuals **MCV** takes several weeks to return to normal ...
www.tnhealth.org/mental%20-%20health%20book%20-%20english.pdf - Similar pages

[PDF] Resolving multiple simultaneous sources of visual evoked magnetic ...
File Format: PDF/Adobe Acrobat - View as HTML
MEG and ERP correlates of visual motion and **object**-related attention ... were regressed against the degree of genetic **relatedness** to patients with ...
www.biomag2004.org/proc-pdf/bmg01_symposia_8_14.pdf - Similar pages

[DOC] PSYCH—Mood Disorders I & II
File Format: Microsoft Word - View as HTML
Short-term memory is tested with remembering three **objects** immediately and after ... Social **relatedness**: a lack of reciprocity, eye gaze, or sense of taking ...
www.med.unc.edu/wms/firstaid/FirstAid2/osy-PsychNotes.doc - Similar pages

[PDF] Chapter 17
File Format: PDF/Adobe Acrobat - View as HTML
The current **user** must apply to the publisher named in the figure legend for ... Spitz R. The First Year of Life—Normal and Deviant **Object** Relations. ...
www.bordeninstitute.army.mil/WarPsych/WarPsychChapter17.pdf - Similar pages

Try your search again on Google Book Search

Gooooogle ▶
Result Page: 1 2 3 4 5 **Next**

Free! Speed up the web. Download the Google Web Accelerator.

mcv + object + user + relatedness Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Sign in

Google Web Images Video New! News Maps more »

mvc + object + user + relatedness Search Ac Pr

Web Results **1** - **10** of about **284** for **mvc** + **object** + **user** + **relatedness**. (**0.7**(

[PPT] SAP xApps Extended Slideset
File Format: Microsoft Powerpoint - View as HTML
Model-driven composition of applications; Service-oriented architecture; Metadata-driven **user** interface and application patterns; Reusable **object** model **...**
https://www.sdn.sap.com/irj/servlet/prt/portal/prtroot/docs/library/uuid/b77bc890-0201-0010-f0b5-cd630526706e - Similar pages

Category Browsing Results
Mining High-Level Use Cases Descriptions for **Objects**. The **User** Class. The Product Class. **...** The **MVC** Pattern. A First Look at Struts. Setting Up Struts. **...**
opamp.com/cf/browse.cfm?Main=COMPUTERS&Sub1=MYSQL - 84k - Cached - Similar pages

[PDF] Developing Language Processing Components with GATE Version 3 (a **...**
File Format: PDF/Adobe Acrobat
MVC separates applications into three types of **objects**: **...** main ontology from linguistic resource based on **relatedness** measurements. In Proceedings **...**
gate.ac.uk/sale/tao/tao.pdf - Similar pages

[PDF] IInnvveessttiiggaatti inngg AArrcchhiitteeccttuur raall EEvvoolluut
File Format: PDF/Adobe Acrobat - View as HTML
software exposes to the **users** including the task-domain data **object** which **...** Cohesion is a measure of strength of functional **relatedness** of the elements in **...**
www.swen.uwaterloo.ca/~subrina/Publication/technical-report.pdf - Supplemental Result - Similar pages

gmane.comp.lang.perl.daily.news
97] asa - 0.01 - - Lets your class / **object** say it works like something else **...**
at > 16 : 02 (**User** Journal) | | http : / / use . perl . org / article **...**
blog.gmane.org/gmane.comp.lang.perl.daily.news?set_lines=100000 - 146k - Supplemental Result - Cached - Similar pages

The CPAN Search Site - search.cpan.org
Class - CGI - 0.03 - - Fetch **objects** from your CGI **object**; Tk - Image - Cut - 0.07 - - Perl extension for a graphic **user** interface to cut pictures . **...**
search.cpan.org/recent?d=20060415 - 32k - Supplemental Result - Cached - Similar pages

> The CPAN Search Site - search.cpan.org
> Catalyst - 5.64 - - The Elegant **MVC** Web Application Framework; WordNet - Similarity - 1.02 - - modules for computing semantic **relatedness** . **...**
> search.cpan.org/recent?d=20060211 - 30k - Supplemental Result - Cached - Similar pages
> [More results from search.cpan.org]

JavaRanch Big Moose Saloon: Passed Part II - 81
As for the books , UML **User** Guide by Booch and Co explains the basic **...** as a general **relatedness** between components , which may or may not be the case . **...**
saloon.javaranch.com/cgi-bin/ubb/ultimatebb.cgi?ubb=next_topic&f=26&t=003195&go=older - 65k - Supplemental Result - Cached - Similar pages

[DOC] 9 UML FIGURES
File Format: Microsoft Word - View as HTML
Clustering to assess **relatedness** (phylogentic tree, similarity graph, etc.). **...** **object** (not shown) and an optional LsrCoreTypes::**User object** to run the **...**
www.omg.org/docs/lsr/98-10-09.doc - Supplemental Result - Similar pages

> OMG Life Sciences Research Domain Task Force LSR RFP 1 Submission **...**
>
> Clustering to assess **relatedness** (phylogentic tree, similarity graph, etc.). C. **... object** (not shown) and an optional LsrCoreTypes::**User**

object to run the **...**
www.omg.org/docs/lsr/98-10-09.txt - 50k - Supplemental Result - Cached - Similar pages
[More results from www.omg.org]

Try your search again on Google Book Search

Goooooooooogle ▶
Result Page: **1** 2 3 4 5 6 7 8 9 10 **Next**

Free! Speed up the web. Download the Google Web Accelerator.

mvc + object + user + relatedness Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

PORTAL
USPTO
Subscribe (Full Service) Register (Limited Se
Search: ◉ The ACM Digital Library ○ The
+mcv +user +object related associated proximat
THE ACM DIGITAL LIBRARY
Feedback Report a problem

Published since January 1990 and Published before April 2001
Terms used **mcv user object related associated proximate**

Sort results by relevance
Display results expanded form
Save results to a Binder
Search Tips
☐ Open results in a new window
Try an Advanc
Try this search

Results 1 - 8 of 8

R

1 Combinational logic synthesis for LUT based field programmable gate arra
Jason Cong, Yuzheng Ding
April 1996 **ACM Transactions on Design Automation of Electronic Sys**
Volume 1 Issue 2
Publisher: ACM Press
Full text available: pdf(628.91 KB) Additional Information: full citation, abst
citings, index ter

The increasing popularity of the field programmable gate-array (FPGA) generated a great deal of interest in the algorithmic study and tool develc specific design automation problems. The most widely used FPGAs are in which the basic logic element is a K-input one-output lookup-table (L implement any Boolean function of up to K variables. This unique featu brought new challenges to lo ...

Keywords: FPGA, area minimization, computer-aided design of VLSI, delay minimization, delay modeling, logic optimization, power minimiz logic, routing, simplification, synthesis, system design, technology mapp

2 Generating Web-based presentations in spatial hypertext

Frank M. Shipman, Richard Furuta, Catherine C. Marshall
January 1997 **Proceedings of the 2nd international conference on Intelli interfaces**
Publisher: ACM Press
Full text available: pdf(1.95 MB) Additional Information: full citation, refe index terms

Keywords: VIKI, Walden's paths, World-Wide Web, analysis tools, imp presentation authoring, presentation models, spatial hypertext, spatial pa

3 Papers: TSNLP: Test Suites for Natural Language Processing
Sabine Lehmann, Stephan Oepen, Sylvie Regnier-Prost, Klaus Netter, Ver Klein, Kirsten Falkedal, Frederik Fouvry, Dominique Estival, Eva Dauphir Compagnion, Judith Baur, Lorna Balkan, Doug Arnold
August 1996 **Proceedings of the 16th conference on Computational ling**
Publisher: Association for Computational Linguistics
Full text available: pdf(677.10 KB) Additional Information: full citation, abst citings

The growing language technology industry needs measurement tools to a engineers, managers, and customers to track development, evaluate and a assess suitability for a variety of applications.The TSNLP (Test Suites fc Processing) project has investigated various aspects of the construction, application of systematic test suites as diagnostic and evaluation tools fo The paper summarizes the motivation and main ...

4 M-LISP: its natural semantics and equational logic
Robert Muller
May 1991 **ACM SIGPLAN Notices , Proceedings of the 1991 ACM SIC on Partial evaluation and semantics-based program manipu** Volume 26 Issue 9
Publisher: ACM Press
Full text available: pdf(824.55 KB) Additional Information: full citation, refe

5 Exploring the inputs of IS service
Janette Moody
April 2001 **Proceedings of the 2001 ACM SIGCPR conference on Com research**
Publisher: ACM Press
Full text available: pdf(285.83 KB) Additional Information: full citation, abst index terms

The importance of an IS unit's level of service to its internal customers (i well recognized (Kettinger and Lee, 1994; Pitt, Watson and Kavan, 199 1999). In fact, the level of service provided by the IS unit to its internal c ultimately impact the organization's level of service to its external custor contributes to the overall organizational climate for service (Schneider, \ 1998). Much of the research on IS ...

Keywords: information systems service, organizational variables, servic service orientation of IS personnel

6 A good man (and woman) is hard to find: attempts to retain qualified staff
Commonwealth University
Jane Hesler, Jim Bostick, Kay Sommers, John Fritz
November 1997 **Proceedings of the 25th annual ACM SIGUCCS confe services: are you ready?**
Publisher: ACM Press
Full text available: pdf(739.30 KB) Additional Information: full citation, refe index terms

7 A simulation study of replication control protocols using volatile witnesses
Perry K. Sloope, Jehan-François Pâris, Darrell D. E. Long
April 1992 **Proceedings of the 25th annual symposium on Simulation A**
Publisher: IEEE Computer Society Press
Full text available: pdf(1.05 MB) Additional Information: full citation, refe

Keywords: discrete event simulation, replicated data management, repli protocols, voting, witnesses

8 Documenting frameworks using patterns
Ralph E. Johnson
October 1992 **ACM SIGPLAN Notices , conference proceedings on Obj programming systems, languages, and applications OOP** 27 Issue 10
Publisher: ACM Press
Full text available: pdf(1.81 MB) Additional Information: full citation, refe index terms

Results 1 - 8 of 8

The ACM Portal is published by the Association for Computing Machiner ACM, Inc.
Terms of Usage Privacy Policy Code of Ethics Contac

Useful downloads: Adobe Acrobat QuickTime Windows Med Player

PORTAL
USPTO
Subscribe (Full Service) Register (Limited Se
Search: ◉ The ACM Digital Library ○ The
+object +window related or proximate or associa
THE ACM DIGITAL LIBRARY
Feedback Report a problem

Published since January 1990 and Published before April 2001
Terms used
object window related or **proximate** or **associated**

Sort results by relevance
Display results expanded form
Save results to a Binder
Search Tips
☐ Open results in a new window
Try an Advanc
Try this search

Results 1 - 20 of 200 Result page: 1 2 3 4 5 6 7 8 9 10 ne
Best 200 shown R

1 Proximal nodes: a model to query document databases by content and struc
Gonzalo Navarro, Ricardo Baeza-Yates
October 1997 **ACM Transactions on Information Systems (TOIS)**, Vol
Publisher: ACM Press
Full text available: pdf(550.43 KB) Additional Information: full citation, abst citings, index ter

A model to query document databases by both their content and structur goal is to obtain a query language that is expressive in practice while bei implementable, features not present at the same time in previous work. T model are a set-oriented query language based on operations on nearby s one or more hierarchies, together with content and structural indexing an evaluation. The model is evaluated in regard t ...

Keywords: expressivity and efficiency of query languages, hierarchical structured text, text algebras

2 Object-focused interaction in collaborative virtual environments
Jon Hindmarsh, Mike Fraser, Christian Heath, Steve Benford, Chris Green

December 2000 **ACM Transactions on Computer-Human Interaction (** 7 Issue 4
Publisher: ACM Press
Full text available: pdf(981.30 KB) Additional Information: full citation, abst citings, index ter

This paper explores and evaluates the support for object-focused interact desktop Collaborative Virtual Environment. An experimental "design" t and video recordings of the participants' activities facilitated an observat interaction in, and through, the virtual world. Observations include: prob "fragmented" views of embodiments in relation to shared objects; partici with spoken accounts ...

Keywords: CSCW, embodiment, objects, shared spaces, social interacti design, virtual reality

3 A software model and specification language for non-WIMP user interface
Robert J. K. Jacob, Leonidas Deligiannidis, Stephen Morrison
March 1999 **ACM Transactions on Computer-Human Interaction (TO** Issue 1
Publisher: ACM Press
Full text available: pdf(574.62 KB) Additional Information: full citation, abst citings, index ter

We present a software model and language for describing and programm aspects of interaction in a non-WIMP user interface, such as a virtual en approach is based on our view that the essence of a non-WIMP dialogue continuous relationships—most of which are temporary. The model com constraint-like component for the continuous relationships with an event for discrete interactions, which can enable or diabl ...

Keywords: PMIW, interaction techiques, non-WIMP interface, specific transition diagram, user interface management system (UIMS)

4 A survey of image registration techniques
Lisa Gottesfeld Brown
December 1992 **ACM Computing Surveys (CSUR)**, Volume 24 Issue 4

Publisher: ACM Press
Full text available: pdf(5.20 MB) Additional Information: full citation, abst citings, index ter

Registration is a fundamental task in image processing used to match tw taken, for example, at different times, from different sensors, or from dif Virtually all large systems which evaluate images require the registratior closely related operation, as an intermediate step. Specific examples of s registration is a significant component include matching a target with a r scene for target recognition, mon ...

Keywords: image registration, image warping, rectification, template m

5 Lessons from the design of the Eiffel libraries
Bertrand Meyer
September 1990 **Communications of the ACM**, Volume 33 Issue 9
Publisher: ACM Press
Full text available: pdf(2.41 MB) Additional Information: full citation, abst citings, index ter

The nature of programming is changing. Most of the software engineerir takes for granted a world of individual projects, where the sole aim is to software systems in response to particular requirements, little attention b system's relationship to previous or subsequent efforts. This implicit mo to allow drastic improvements in software quality and productivity. Suc magnitude advances will require a pr ...

6 The computation of optical flow
S. S. Beauchemin, J. L. Barron
September 1995 **ACM Computing Surveys (CSUR)**, Volume 27 Issue 3
Publisher: ACM Press
Full text available: pdf(3.06 MB) Additional Information: full citation, abst citings, index ter

Two-dimensional image motion is the projection of the three-dimensio relative to a visual sensor, onto its image plane. Sequences of time-order estimation of projected two-dimensional image motion as either instanta velocities or discrete image displacements. These are usually called the

the image velocity field. Provided that optical flow is a reliable approxin dimensional ...

7 Data clustering: a review

A. K. Jain, M. N. Murty, P. J. Flynn

September 1999 **ACM Computing Surveys (CSUR)**, Volume 31 Issue 3

Publisher: ACM Press

Full text available: pdf(636.24 KB) Additional Information: full citation, abst citings, index ter

Clustering is the unsupervised classification of patterns (observations, da vectors) into groups (clusters). The clustering problem has been addresse and by researchers in many disciplines; this reflects its broad appeal and the steps in exploratory data analysis. However, clustering is a difficult p combinatorially, and differences in assumptions and contexts in differen made the transfer of useful generic co ...

Keywords: cluster analysis, clustering applications, exploratory data ana clustering, similarity indices, unsupervised learning

8 The anatomy of a context-aware application

Andy Harter, Andy Hopper, Pete Steggles, Andy Ward, Paul Webster

August 1999 **Proceedings of the 5th annual ACM/IEEE international c Mobile computing and networking**

Publisher: ACM Press

Full text available: pdf(1.58 MB) Additional Information: full citation, refe index terms

9 Integrating query thesaurus, and documents through a common visual repr

Richard H. Fowler, Wendy A. L. Fowler, Bradley A. Wilson

September 1991 **Proceedings of the 14th annual international ACM SI Research and development in information retrieval**

Publisher: ACM Press

Full text available: pdf(1.13 MB) Additional Information: full citation, refe index terms

10 Bridging physical and virtual worlds with electronic tags

Roy Want, Kenneth P. Fishkin, Anuj Gujar, Beverly L. Harrison

May 1999 **Proceedings of the SIGCHI conference on Human factors in systems: the CHI is the limit**

Publisher: ACM Press

Full text available: pdf(1.45 MB) Additional Information: full citation, abst citings, index ter

The role of computers in the modern office has divided our activities bet interactions in the realm of the computer and physical interactions with r the traditional office infrastructure. This paper extends previous work th bridge this gap, to connect physical objects with virtual representations c functionality, via various types of tags. We discuss a variety of scenario implemented using a novel combination of ...

Keywords: RFID tag, augmented reality, phicon, portable computers, ta ubiquitous computing, wireless networks

11 Two-handed virtual manipulation

Ken Hinckley, Randy Pausch, Dennis Proffitt, Neal F. Kassell

September 1998 **ACM Transactions on Computer-Human Interaction (** 5 Issue 3

Publisher: ACM Press

Full text available: pdf(1.32 MB) Additional Information: full citation, abst citings, index ter

We discuss a two-handed user interface designed to support three-dimes visualization. By itself, this system is a "point design," an example of an interface technique. In this work, we argue that in order to understand wl techniques do or do not work, and to suggest possibilities for new techni to move beyond point design and to introduce careful scientific measure behavioral principles. In particula ...

Keywords: bimanual asymmetry, haptic input, input devices, three-dime two-handed interaction, virtual manipulation

12 Spatial hypertext: designing for change
Catherine C. Marshall, Frank M. Shipman
August 1995 **Communications of the ACM**, Volume 38 Issue 8
Publisher: ACM Press
Full text available: pdf(609.49 KB) Additional Information: full citation, refe index terms, revi

13 Survey of closed queueing networks with blocking
Raif O. Onvural
June 1990 **ACM Computing Surveys (CSUR)**, Volume 22 Issue 2
Publisher: ACM Press
Full text available: pdf(3.72 MB) Additional Information: full citation, abst citings, index ter

Closed queueing networks are frequently used to model complex service production systems, communication systems, computer systems, and flex systems. When limitations are imposed on the queue sizes (i.e., finite qu phenomenon called *blocking* occurs. Queueing networks with blocking a difficult to treat. Exact closed form solutions have been reported only in Hence, most of the techniques that are used to analy ...

14 Integrating contents and structure in text retrieval
Ricardo Baeza-Yates, Gonzalo Navarro
March 1996 **ACM SIGMOD Record**, Volume 25 Issue 1
Publisher: ACM Press
Full text available: pdf(1.23 MB) Additional Information: full citation, abst

The purpose of a textual database is to store textual documents. These dc only textual contents, but also structure. Many traditional text database s focused only on querying by contents or by structure. Recently, a numbe integrating both types of queries have appeared. We argue in favor of tha focus our attention on these recent models, covering a representative san proposals in the field. We pay special attention to the t ...

15 Principles of the parallel shape coding with the termination condition

Zbigniew M. Wójcik, Barbara E. Wójcik
April 1991 **Proceedings of the 19th annual conference on Computer Sci**
Publisher: ACM Press
Full text available: pdf(852.15 KB) Additional Information: full citation, refe

16 Human-computer communication and response
Doris S. Shaw, Dershung Yang, James Garett, Suresh Bhavnani
March 1993 **Proceedings of the 1993 ACM conference on Computer sci**
Publisher: ACM Press
Full text available: pdf(829.19 KB) Additional Information: full citation, abst index terms

Human beings learn to communicate through mutual efforts to develop s understandings within a given context. With neural network technology, learn to identify objects and behaviors in the CAD context by which they the needs of designers. This capability can enable the computer to respor assist individual users.

17 A theory of organization
Joseph I. B. Gonzales
October 1994 **Proceedings of the 12th annual international conference documentation: technical communications at the great di**
Publisher: ACM Press
Full text available: pdf(1.07 MB) Additional Information: full citation, refe

18 Fast evaluation of structured queries for information retrieval
Eric W. Brown
July 1995 **Proceedings of the 18th annual international ACM SIGIR cc Research and development in information retrieval SIGIR '9**
Publisher: ACM Press
Full text available: pdf(1.15 MB) Additional Information: full citation, abst citings, index ter

Information retrieval systems are being challenged to manage larger and

collections. In an effort to provide better retrieval performance on large c sophisticated retrieval techniques have been developed that support rich, Structured queries are not amenable to previously proposed optimization Optimizing execution, however, is even more important in the context of collections. We present a new structured qu ...

19 Approximation algorithms for data placement on parallel disks
L. Golubchik, S. Khanna, S. Khuller, R. Thurimella, A. Zhu
February 2000 **Proceedings of the eleventh annual ACM-SIAM sympos algorithms**
Publisher: Society for Industrial and Applied Mathematics
Full text available: pdf(1.01 MB) Additional Information: full citation, refe index terms

20 Performance modeling of the IDES framework
David M. Nicol, Michael M. Johnson, Ann S. Yoshimura, Michael E. Gold
June 1997 **ACM SIGSIM Simulation Digest , Proceedings of the eleven Parallel and distributed simulation PADS '97**, Volume 27 Is
Publisher: IEEE Computer Society, ACM Press
Full text available: pdf(1.03 MB) Publisher Site Additional Information: full citation, abst index terms

The IDES project at Sandia National Laboratories is developing a large s parallel simulator for use in stockpile stewardship. IDES will use the Bre Buckets synchronization protocol; to support IDES development, this pa performance model and describes performance experiments on expected architectural parameters. A new parallel algorithm for terminating the wi also described and analyzed.

Keywords: Breathing-Time-Buckets, IDES project, Sandia National Lat architectural parameters, discrete event simulation, large scale portable p parallel algorithm, parallel programming, performance modeling, stockp synchronization protocol, window termination, work load

Results 1 - 20 of 200 Result page: **1** 2 3 4 5 6 7 8 9 1

The ACM Portal is published by the Association for Computing Machinery
ACM, Inc.
Terms of Usage Privacy Policy Code of Ethics Contact

Useful downloads: Adobe Acrobat QuickTime Windows Media Player

Sign in

Google Web Images Video[New!] News Maps more »

gui + dynamic relatedness proximate Search Ac Pr

Web Results **1** - **10** of about **156** for **gui** + **dynamic** **relatedness** **proximate**. (

peoplefeeds
... Dublin_Core Dublin_core Duesseldorf Duke Dutch Duxbury Dyck, **Dynamic** Dyson DÃ©finition E-Business E-Democracy E-Mail E-commerce E-journal E-learning E. ...
peoplefeeds.com/threepointsomething/other - 250k - Supplemental Result - Cached - Similar pages

peoplefeeds
... GPX GRDDL GSSE GT GTD GTRI **GUI** Gallery Game GameDesign GameDevelopment Games ... Ground Group Groups **Gui** Guide Guideline Guidelines GÃ¶del-Escher-Bach ...
peoplefeeds.com/threepointsomething/other?page=4 - 250k - Supplemental Result - Cached - Similar pages
[More results from peoplefeeds.com]

custom gaming computers
The search engine indexes **dynamic** pages. The integrated directory is based ... extent to which later messages recount the **relatedness** of earlier messages. ...
customgc18.joelinks38.info/ - 19k - Supplemental Result - Cached - Similar pages

[PDF] Samenvatting Functieleer
File Format: PDF/Adobe Acrobat - View as HTML
Human Computer Interaction and **GUI**'s (now) ... Dials, meters, etc: **dynamic** indicators; represent changing momentary state of things ...
www.daedalus.utwente.nl/onderwijs/tentamens/derdejaar/pf/samenvattingfunctieleer.pdf - Supplemental Result - Similar pages

Computer graphic display visualization system and method patent ...

The **GUI** contains fields that receive or correspond to inputs entered by the end user ... relates to a system for interactive , **dynamic** , three - dimensional ...
www.freshpatents.com/Computer-graphic-display-visualization-system-and-method-dt20050728ptan20050165766.p... - 211k - Supplemental Result - Cached - Similar pages

Computer graphic display visualization system and method - IP ...
The **GUI** contains fields that receive or correspond to inputs entered by the ... to facilitating operation in a **dynamic** hyperlinked information environment. ...
www.patentdebate.com/PATAPP/20050165766 - Supplemental Result - Similar pages

[PDF] Visualizing the Non-Visual: Spatial analysis and interaction with ...
File Format: PDF/Adobe Acrobat
relatedness between documents. When similarity. is. represented ... context and content, the closer or more **proximate** they. are located in the 2D space. ...
ieeexplore.ieee.org/iel3/4050/11604/00528686.pdf?isnumber=&arnumber=528686 - Similar pages

System and method for voice access to internet-based information ...
Customer management subsystem 130 also provides reporting of **relatedness** based on ... Characters or tags **proximate** the matched data are identified as a ...
www.freepatentsonline.com/6510417.html - 172k - Cached - Similar pages

> Computer graphic display visualization system and method - Patent ...
> Another system provides a globally unique identifier (**GUI**) to track users ... based on the common sequences within **proximate** documents within the hierarchy. ...
> www.freepatentsonline.com/6868525.html - 223k - Cached - Similar pages

[PDF] Perceptual Validation Experiments for Evaluating the Quality of ...
File Format: PDF/Adobe Acrobat
proximate their corresponding perceived similarities. Similar objects are

close to one another, ... the conceptual **relatedness** was consistent with the ...
www.mitpressjournals.org/doi/pdf/10.1162/105474602320935847 -
Similar pages

Try your search again on Google Book Search

Goooooooooogle ▶
Result Page: 1 2 3 4 5 6 7 8 9 **Next**

Free! Speed up the web. Download the Google Web Accelerator.

gui + dynamic relatedness proximate Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google